


WANZHISTEEL 集成房屋



PRODUCT BROCHURE

Integrated Housing 多种集成房屋产品

WANZHI STEEL IS A ONE-STOP PRODUCER AND MANUFACTURER IN STEEL INDUSTRY.
万智钢铁是钢铁行业一站式生产和制造商



FACTORY INTRODUCTION (工厂介绍)

万智是一家致力于提供高品质、高效率集成房屋解决方案的专业企业，可为客户提供精确的产品图纸及安装教程。公司产品畅销国内外多个国家和地区。自成立以来，我们秉持“万众同心，智慧先行”，“质量为本、服务至上”的企业理念，专注于集成房屋制造的研发、设计、生产安装及售后服务，旨在为客户提供一站式、全方位的集成房屋制造建设服务。公司拥有一支经验丰富、技术精湛的专业团队，以及先进的生产设备和检测手段，确保每一个项目都能达到客户期望的高品质标准。

万智涵盖各类集成房屋的研发与生产:包括但不限于住宅、别墅、商业用房、临时建筑、集装箱房屋折叠式房屋、双翼拓展房等。同时，我们还提供定制化服务，根据客户的特定需求和场地条件，提供个性化的设计、生产及安装方案，此外，我们还为客户提供包括材料选择、结构设计、现场施工、后期维护等在内的全方位服务。欢迎各界朋友莅临参观、指导和业务洽谈。

Wanzhi is a professional enterprise dedicated to providing high-quality, high-efficiency integrated housing solutions. We offer customers precise product drawings and installation guides, with our products being sold in numerous countries and regions worldwide.


Since our establishment, we have upheld the corporate philosophy of "United as one, Led by Wisdom" and "Quality First, Service Foremost." We specialize in the research, design, manufacturing, installation, and after-sales service of integrated housing, aiming to provide customers with a one-stop, comprehensive solution for integrated housing construction.

With a team of highly experienced and skilled professionals, along with advanced production equipment and testing methods, we ensure that every project meets the highest quality standards and exceeds customer expectations.

Wanzhi covers a wide range of integrated housing development and production, including but not limited to residential houses, villas, commercial buildings, temporary structures, container houses, foldable houses, and expandable wing houses. Additionally, we provide customized services, tailoring our designs, production, and installation solutions to meet specific customer needs and site conditions.

Beyond manufacturing, we offer comprehensive services such as material selection, structural design, on-site construction, and post-installation maintenance.

We warmly welcome friends from all walks of life to visit us for guidance, collaboration, and business discussions.



СОДЕРЖАНИЕ

目录

I INTEGRATED HOUSING--集成房屋

01 Company Qualification/Test Report

公司资质/检测报告

03 Company environment

公司环境

06 Expandable folding house

双翼折叠房

21 Craftsmanship, details show

工艺、细节展示

27 Packaging box house

打包箱房

29 Folding Container House

折叠箱房

31 Z type folding packing house

Z型折叠打包箱房

33 Apple Cabin

苹果舱



COMPANY QUALIFICATION (公司资质)



CERTIFICATE OF HONOR (荣誉证书)




TEST REPORT (检测报告)



FACTORY (厂区)



INTERNATIONAL EXHIBITIONS (国际展会)



WARM HEARTED EMOTIONS (暖心司情)





EXPANDABLE FOLDING HOUSE (双翼折叠房)

双翼拓展房，空间拓展性强，通过拓展结构增加使用面积，折叠运输，移动方便快捷，设计独特，美观实用，尺寸与内部布局定制多样化，是一种创新型的空间扩展集成房屋，以独特的设计和先进的技术，为您带来超乎想象的空间利用效率，其外观精致且坚固耐用，采用高强度环保材料制造，能够适应各种复杂的环境条件通过折叠功能轻松实现空间的快速扩展和收缩，可以提供更为宽敞和舒适的使用环境。无论是作为居住空间、移动办公场所，还是货物存储单元，均可实现。





expandable folding house, strong space expandability, increase the use of area by expanding the structure, folding and transportation, easy and quick to move, unique design, beautiful and practical, size and internal layout customization diversification, is a kind of innovative space expansion integrated housing, with a unique design and advanced technology, to bring you unimaginable efficiency in space utilization, the appearance of its exquisite and durable, made of high-strength environmentally friendly materials. It is able to adapt to various complex environmental conditions and can easily realize rapid expansion and contraction of space through the folding function, which can provide a more spacious and comfortable use of the environment. Whether as a living space, mobile office, or cargo storage unit, all can be realized.

UNFOLDING PROCESS (展开过程)







EXPANDABLE FOLDING HOUSE (双翼折叠房)

规格 (Specification)	折叠尺寸 (Folded Size)	展开尺寸 (Unfolded size)	占地面积 (Footprint)	运输 (Loading transport)
10FT	L*W*H 2950*2200*2480mm	L*W*H 2950*6300*2480mm	18.5m ²	4 sets per 40HC container
20FT	L*W*H 5900*700*2480mm (小双翼)	L*W*H 5900*4800*2480mm	27.5m ²	6 sets per 40HC container
	L*W*H 5900*2200*2480mm	L*W*H 5900*6300*2480mm	37m ²	2 sets per 40HC container
	L*W*H 5900*2250*2450mm (平顶双翼)	L*W*H 11800*6420*2450mm	38m ²	2 sets per 40HC container

房间数(Number of rooms)					外观 (Appearance)	热门样式 (Popular styles)
1	2	3	4	5		
✓	×	×	×	×		
✓	×	×	×	×		
✓	✓	✓	✓	×		
✓	✓	✓	✓	×		

EXPANDABLE FOLDING HOUSE (双翼折叠房)

规格 (Specifi cation)	折叠尺寸 (Folded Size)	展开尺寸 (Unfolded size)	占地面积 (Footprint)	运输 (Loading transport)
30FT	L*W*H 9000*2200*2480mm	L*W*H 9000*6220*2480mm	56m ²	1 sets per 40HC container
	L*W*H 9000*2250*2450mm (平顶双翼)	L*W*H 9000*6420*2450mm	58m ²	1 sets per 40HC container
40FT	L*W*H 11800*2200*2480mm	L*W*H 11800*6220*2480mm	73m ²	1 sets per 40HC container
	L*W*H 11800*2250*2450mm (平顶双翼)	L*W*H 11800*6420*2450mm	76m ²	1 sets per 40HC container

房间数(Number of rooms)					外观 (Appearance)	热门样式 (Popular styles)
1	2	3	4	5		
✓	✓	✓	✓	×		
✓	✓	✓	✓	×		
✓	✓	✓	✓	✓		
✓	✓	✓	✓	✓		

10 FT EXPANDABLE FOLDING HOUSE (10尺双翼折叠房)



PRODUCT LAYOUT DIAGRAM

拓展尺寸(Expanded Dimensions):

L2950*W6300*H2480MM

折叠尺寸(Folded Dimensions):

L2950*W2200*H2480MM


内部尺寸(Interior Dimensions):

L2510*W6140*H2240MM

占地面积(Floor Space):18.5m²

装柜数量: 40尺高柜装4套(Number of Cabinets: 4 sets for 40' tall cabinets)

20FT 700MM WIDTH EXPANDABLE FOLDING HOUSE



20尺700宽小双翼平面布置图

PRODUCT LAYOUT DIAGRAM

拓展尺寸(Expanded Dimensions):

L5900*W4800*H2480MM

内部尺寸(Interior Dimensions):

L5460*W4640*H2240MM


折叠尺寸(Folded Dimensions):

L5900*W700*H2480MM

占地面积(Floor Space):27.5m²

装柜数量: 40尺高柜装6套(Number of Cabinets: 6 sets for 40' tall cabinets)

20 FT EXPANDABLE FOLDING HOUSE (20尺双翼折叠房)



20尺双翼两室一厅一厨一卫平面布置图

PRODUCT LAYOUT DIAGRAM

拓展尺寸(Expanded Dimensions):

L5900*W6300*H2480MM

折叠尺寸(Folded Dimensions):

L5900*W2200*H2480MM


内部尺寸(Interior Dimensions):

L5460*W6140*H2240MM

占地面积(Floor Space):37m²

装柜数量: 40尺高柜装2套(Number of Cabinets: 2 sets for 40' tall cabinets)

20FT FLAT TOP EXPANDABLE FOLDING HOUSE



20尺平顶双翼两室一厅一厨一卫平面布置图

PRODUCT LAYOUT DIAGRAM

拓展尺寸(Expanded Dimensions):

L5900*W6420*H2450MM

折叠尺寸(Folded Dimensions):

L5900*W2250*H2450MM


内部尺寸(Interior Dimensions):

L5740*W6460*H2250MM

占地面积(Floor Space):38m²

装柜数量: 40尺高柜装2套(Number of Cabinets: 2 sets for 40' tall cabinets)

30 FT EXPANDABLE FOLDING HOUSE (30尺双翼折叠房)



30尺双翼两室一厅一厨一卫平面布置图

PRODUCT LAYOUT DIAGRAM

拓展尺寸(Expanded Dimensions):

L9000*W6220*H2480MM

折叠尺寸(Folded Dimensions):

L9000*W2200*H2480MM



内部尺寸(Interior Dimensions):

L8540*W6060*H2240MM

占地面积(Floor Space):56m²

装柜数量: 40尺高柜装1套(Number of Cabinets: 1 sets for 40' tall cabinets)

30FT FLAT TOP EXPANDABLE FOLDING HOUSE



30尺平顶双翼两室一厅一厨一卫平面布置图

PRODUCT LAYOUT DIAGRAM

拓展尺寸(Expanded Dimensions):
L9000*W6420*H2450MM


折叠尺寸(Folded Dimensions):
L9000*W2250*H2450MM

内部尺寸(Interior Dimensions):
L8550*W6260*H2250MM

占地面积(Floor Space):58m²

装柜数量: 40尺高柜装1套(Number of Cabinets: 1 sets for 40' tall cabinets)

40 FT EXPANDABLE FOLDING HOUSE (40尺双翼折叠房)



40尺双翼三室一厅一厨一卫平面布置图

PRODUCT LAYOUT DIAGRAM

拓展尺寸(Expanded Dimensions):

L11800*W6220*H2480MM

内部尺寸(Interior Dimensions):

L11540*W6060*H2240MM


折叠尺寸(Folded Dimensions):

L11800*W2200*H2480MM

占地面积(Floor Space):73m²

装柜数量: 40尺高柜装1套(Number of Cabinets: 1 sets for 40' tall cabinets)

40FT FLAT TOP EXPANDABLE FOLDING HOUSE



PRODUCT LAYOUT DIAGRAM

拓展尺寸(Expanded Dimensions):
L11800*W6420*H2450MM

内部尺寸(Interior Dimensions):
L11650*W6260*H2210MM

折叠尺寸(Folded Dimensions):
L11800*W2250*H2450MM

占地面积(Floor Space):76m²

装柜数量: 40尺高柜装1套(Number of Cabinets: 1 sets for 40' tall cabinets)


CONFIGURATION PARAMETERS (配置参数)

10/20尺双翼折叠房框架结构(10FT/20FT expandable folding house configuration parameters)			
序号(Serial)	名称(Name)	内容(Content)	规格(Specification)
1	主体框架 (全镀锌国标) Main frame (full galvanized GB)	顶侧梁(Top side beam)	Ports 80*100*2.5mm galvanized square pipe
2		顶端梁(Top end beam)	Galvanized bending parts 2.5mm
3		顶部横向次梁 (Top transverse secondary beam)	Ports 30*50*1.5mm galvanized square pipe
4		底侧梁(Bottom side beam)	Ports 80*100*2.5mm galvanized square pipe
5		底端梁(Bottom end beam)	Galvanized bending parts 2.5mm thick
6		底部纵向次梁 (Bottom longitudinal secondary beam)	Ports 40*80*1.5mm galvanized square pipe
7		底部横向次梁 (Bottom transverse secondary beam)	Ports 40*80*1.5mm galvanized square pipe
8		6mm镀锌吊头 (6mm galvanized header)	L210*W150*H160mm galvanized header
9		钢立柱(Steel columns)	Galvanized bending parts 2.5mm thick
10	侧翼框架 (全镀锌国标) Side frames (fully galvanized GB)	顶部框架(Top Frame)	P40*80*1.5mm P-shaped tube
11			Ports 40*80*1.5mm galvanized square pipe
12		底部框架(Bottom Frame)	P60*80*2.0mm galvanized square tube
13		折叠合页(Folding Hinge)	130mm galvanized hinge

30/40尺双翼折叠房框架结构(30/40FT expandable folding house configuration parameters)			
序号(Serial)	名称(Name)	内容(Content)	规格(Specification)
1	主体框架 (全镀锌国标) Main frame (full galvanized GB)	顶侧梁(Top side beam)	Ports 80*140*3.75mm galvanized square pipe
2		顶端梁(Top end beam)	Galvanized bending parts 3.0mm
3		顶部横向次梁 (Top transverse secondary beam)	Ports 30*50*1.8mm galvanized square pipe
4		底侧梁(Bottom side beam)	Ports 80*140*3.0mm galvanized square pipe
5		底端梁(Bottom end beam)	Galvanized bending parts 3.0mm thick
6		底部纵向次梁 (Bottom longitudinal secondary beam)	Ports 80*80*2.0mm galvanized square pipe
7		底部横向次梁 (Bottom transverse secondary beam)	Ports 40*80*2.0mm galvanized square pipe
8		6mm镀锌吊头 (6mm galvanized header)	L210*W150*H160mm galvanized header
9		钢立柱(Steel columns)	Galvanized bending parts 3.0mm thick
10	侧翼框架 (全镀锌国标) Side frames (fully galvanized GB)	顶部框架(Top Frame)	P40*80*1.8mm P-shaped tube
11			P60*80*1.8mm galvanized square pipe
12		底部框架(Bottom Frame)	P60*80*2.5mm galvanized square tube
13		折叠合页(Folding Hinge)	130mm galvanized hinge

框架结构(Framework structure)			
序号(Serial)	名称(Name)	内容(Content)	规格(Specification)
14	整体框架保护涂料 (Overall frame protection coating)	喷涂烤漆(spraying and baking)	静电喷塑/直白塑粉烤漆工艺+防腐涂层 (Electrostatic spraying / straight white plastic powder baking process + anti-corrosion coating)
15	箱体顶部 (top of the box)	主体外部顶板 (Main exterior ceiling panel)	950型-50mm厚双面0.3mm, EPS彩钢复合板+瓦楞单板t0.45mm (Type 950-50mm thick double-sided 0.3mm, EPS color steel composite panel + corrugated veneer t0.45mm)
16		主体内部吊顶板 (Main body interior ceiling panel)	950型-50mm厚双面0.3mm, EPS彩钢复合板 (950 type-50mm thick double-sided 0.3mm, EPS color steel composite plate)
17		两翼外部顶板 (Exterior ceiling panels of both wings)	950型-65mm厚双面0.3mm, EPS彩钢复合板+瓦楞单板t0.45mm (950 type-65mm thick double-sided 0.3mm, EPS color steel composite board + corrugated veneer t0.45mm)
18	墙体用板 (Wall panel)	侧墙、前后墙 (Sidewalls, front and rear walls)	950型-65mm厚双面0.3mm, EPS彩钢复合板 (950 type-65mm thick double-sided 0.3mm, EPS color steel composite plate)
19		室内隔断墙板 (Interior partition wall panels)	950型-50mm厚双面0.3mm, EPS彩钢复合板 (950 type-50mm thick double-sided 0.3mm, EPS color steel composite plate)
20	地面 (Ground)	主框(Main frame)	竹胶板18mm厚(Bamboo glue board 18mm thick)
21		两翼(Two-sided)	竹胶板18mm厚(Bamboo glue board 18mm thick)
22	门窗 (Door and window)	塑钢双玻推拉窗(Plastic steel double-glazed sliding window)	920*920mm*4扇(10/20ft)、 920*920mm*6扇(30ft)、920*920mm*8扇(40ft)
23		优质钢制防火门 (High Quality Steel Fire Door)	840*2035mm*1樘
24	电气系统 (Electrical system)	电路系统(Circuit Systems)	电压220V,50HZ (Voltage 220V,50HZ)
25		照明(Lighting)	(300*300 (10/20ft) 、300*600 (30/40ft) flat panel light, large ceiling light)
26		插座(Sockets)	标配国际三孔、五孔插座(可根据客户要求配置插座标准) (Standard international three-hole, five-hole socket (can be configured according to customer requirements socket standard))
27		灯开关(Light switches)	双开, 单键开关(可根据客户要求配置开关标准) (Double open, single key switch (can be configured according to customer requirements switch standard))
28		配线(Wiring)	进线6 ² , 空调插座4 ² , 普通插座2.5 ² , 照明1.5 ² 。 (标准国标电线、可根据国别定制符合认证要求电路) (Inlet 6 ² , air conditioning socket 4 ² , ordinary socket 2.5 ² , lighting 1.5 ² . (Standard national standard wire, can be customized according to the country in line with the certification requirements of the circuit))
29	配件(Parts)	包含顶角线、踢脚线、包角、防水胶带、吊带、结构胶(白云)、胶枪等 (Includes top corner, skirting, corner wrapping, waterproof tape, sling, structural adhesive (Baiyun), glue gun, etc.)	

FRAMEWORK PROCESS DISPLAY (框架工艺展示)




内嵌式合页打磨(Inset hinge sanding)



双翼箱角焊接
(Biplane box corner welding)



20尺双翼裸框架 (20' Biplane Bare Frame)



预留框架线路孔
(Reserve holes for frame wiring)



内嵌式合页折叠缝展示(Inset hinge folding seam display)



框架打磨
(Frame sanding)



内嵌式合页折叠缝展示(Inset hinge folding seam display)



静电喷涂烤漆工艺
(Electrostatic spraying and baking process)


DOORS AND WINDOWS OF VARIOUS SIZES (各种规格门窗)



铝合金推拉窗
(Aluminum alloy sliding window)



断桥铝双开门(Broken Bridge Aluminum Double Door)



断桥铝外悬窗
(Broken Bridge Aluminum Exterior Pivot Window)



断桥铝推拉窗
(Broken bridge aluminum sliding window)



高配防盗门
(high security door)



钢制单开门
(Steel single door)



断桥铝外悬落地窗
(Broken Bridge Aluminum Exterior Hung Floor Window)



塑钢窗
(molded steel window)



高配卧室门
(High-end bedroom doors)




标配卧室门
(Standard bedroom door)



玻璃幕墙门连窗
(Glass curtain wall doors with windows)

VARIOUS WALL SURFACES (各种墙面)



WZ-0001



WZ-0002



WZ-0003



WZ-0004



WZ-0024



WZ-0025



WZ-0026



WZ-0027



WZ-0032




WZ-0033



WZ-0034



WZ-0035



WZ-0042



WZ-0043



WZ-0044



WZ-0045



WZ-0069



WZ-0070



WZ-0071



WZ-0072



WZ-0089



WZ-0090



WZ-0091




WZ-0092


MARBLE COUNTERTOP COLOR CODE (大理石台面色号)



YL-4003



YL-1001



YL-6919



YL-4108




YL-1001



YL-6908



YL-9016




YL-4008



YL-7849




YL-6905



YL-6932




YL-3030




YL-6947




YL-6805




YL-6988



YL-1016



YL-6903



YL-6937

ACCESSORY DETAILS (细节配件)



木地板地面铺装(Wooden flooring)



吸顶方形灯
(Ceiling square lamp)



吸顶圆形灯
(Round Ceiling Lamp)



内嵌式方灯
(Built-in Square Lamp)



内嵌式方灯
(Built-in Square Lamp)



牛眼灯
(bull's-eye lamp)



USB插座
(USB socket)



开关
(switchgear)



三控开关示
(Three-control switch)



插座
(sockets)

ACCESSORY DETAILS (细节配件)



洗手池吊柜
(Hanging Sink Cabinet)



洗手池吊柜
(Hanging Sink Cabinet)



洗手池地柜(vanity unit)



洗手池地柜(vanity unit)



洗手池
(Bathroom sink)



洗手池
(Bathroom sink)



花洒
(Sprinklers)



花洒
(Sprinklers)



花洒
(Sprinklers)



澳标马桶
(Ausbild Toilet)



标配马桶
(Toilet as standard)



高配智能马桶
(High-end Smart Toilet)

PACKAGING BOX HOUSE (打包箱房)

打包箱房的结构是由顶框组件、角柱系统以及底框组件组成的产品，用来作为简单居住的场所。是钢框架结构，钢材是冷弯镀锌材质，各个系统模块在工厂制造完成，现场由各个系统模块装配完成。

用途:可用于工程营地、商用房、公共事业用房、军事营地、旅游、市政临时用房、救灾安置房、临时医院隔离房、办公、宿舍、会议室、卫浴、厨房、门禁等等。



The structure of the Packing Box House is a product that consists of a top frame assembly, a corner post system, and a bottom frame assembly used as a place for simple living. It is a steel frame structure, the steel is cold-formed galvanised, and each system module is manufactured in the factory and assembled by each system module on site.

Usage: It can be used for engineering camps, commercial houses, public utility houses, military camps, tourism, municipal temporary houses, disaster relief houses, temporary hospital isolation houses, offices, dormitories, meeting rooms, bathrooms, kitchens, access control and so on.



玻璃幕墙走廊箱
(Glass curtain wall corridor box)



内置双跑楼梯
(Built-in double running staircase)

产品优势(Product Advantages):

1. 安装方便，可以做简单混凝土浇筑基础或者地面垫砖，甚至可以直接放在地面上，自带楼面体系无需再做地平处理。
2. 打包式箱房搬迁可连箱带物一起移动，无损耗，可库存。房屋的墙体、吊顶、电、门窗等一次性装修，永久性使用，节能环保又美观。

Easy to install, you can do simple concrete pouring foundation or ground pad brick, direct placement can be, self-floor system does not need to do the floor leveling treatment.

2. Packing box house relocation can be moved together with the box, no loss, can be stocked.

The walls, ceiling, electricity, doors and windows of the house are decorated at once and used permanently, energy-saving and environmental protection and beautiful.

PACKAGING BOX HOUSE (打包箱房)



PRODUCT LAYOUT DIAGRAM

国内尺寸(Domestic Size):
L6055*W2990*H2896MM

出口尺寸(Export size):
L5800*W2435*H2896MM

FOLDING CONTAINER HOUSE (折叠箱房)

折叠箱房是一种以轻钢为骨架，以夹芯板为围护材料，以标准模数系类空间组合，构建采用螺栓连接，全新概念的环保经济型活动房屋。可方便快捷地进行组装和拆卸，实现了临时建筑的通用标准化，树立了环保节能、快捷高效的建筑理念，使临时房屋进入了一个系列化开发、集成化生产、配套化供应、可库存和多次周转使用的定型产品领域。

Folding box house is a kind of environmentally friendly and economical movable house with light steel as the back frame, sandwich board as the enclosing material, standard modulus series space combination, constructed by bolting, and a new concept of environmentally friendly and economical movable house. It can be assembled and disassembled conveniently and quickly, realizing the general standardization of the temporary building, setting up the construction concept of environmental protection and energy saving, fast and efficient, and making the temporary house enter the field of a series of development, integrated production, matching supply, inventory and multiple turnover of the use of stereotyped products.


UNFOLDING PROCESS (展开过程)



折叠箱房安装清场
(Installation clearance)



箱房主体吊起来
(Lift the main body of the box house)



箱体中间放置支撑杆保持稳固
(box body in the middle of the placement of the support bar to maintain stability)



折叠箱房安装清场
(Walls with windows and doors pushed open)



折叠箱房吊到预定位置
(Folding box house lifted to a predetermined position)

温馨提示:安装过程中，非专业人员切记不要站在折叠箱房或者吊车下面，避免出现安全事故。

Warm tips: During the installation process, non-professionals should remember not to stand under the folding box house or crane to avoid safety accidents.

PRODUCT PARAMETERS (产品参数)

外部尺寸(External Dimension)	L5800*W2480*H2500mm
内部尺寸(Inside Dimension)	L5640*W2320*H2340mm
折叠状态(Folding State)	L5800*W2480*H330mm
重量(Weight)	1000kg
布局系列(Layout Series)	单间类型 (Single Room Type)
墙板厚度(Wall Panel Thickness)	50墙,70墙(50 walls,70walls)
墙板填充(Wall Panel Filling)	玻璃棉/岩棉(Glass Wool / Rock Wool)
地板材料(Floor Materia)	15毫米镁玻璃板(15mm Glass Magnesium Plate)
电路品牌(Circuit Brand)	制造商默认品牌(Manufacturer’s Default Brand)
安装时间(Install Time)	3–5Minutes
抗震等级(Earthquake Resistance)	Grade 8
防火等级(Fire Rating)	A Level
抗风等级(Wind Resistance)	10级风速≤100公里/小时 (Grade 10Wind speeds100 km/h)
集装箱装载(Container Loading)	12套/40英尺高柜 (12 sets/40HQ)



Z TYPE FOLDING PACKING HOUSE (Z型折叠打包箱房)

运输方便，尤其适合经常更换施工点的单位;坚固耐用，全部由钢质组成，具有很强的抗震、抗变形能力;密封性能好，严格的制造工艺使这种集装箱活动房具有很好水密性;


基于标准钢材底盘之上，可以衍生出许多组合空间。如会议室、宿舍、厨房、卫生间等。拆装方便，性能优越，稳定牢固，防震性能好，防水防火防腐，重量轻。集装箱活动房为整体结构，内有框架墙体为岩棉夹芯板，可用木板饰面，可整体迁移，使用寿命可达20年以上。

Convenient transportation, especially suitable for units that often change the construction site; strong and durable, all made of steel, with strong seismic and deformation resistance.


Good sealing performance, strict manufacturing process makes this kind of containerized activity room has good water tightness.

Based on the standard steel chassis above, can be derived from many combinations of space. Such as meeting rooms, dormitories, kitchens, bathrooms and so on. Easy to disassemble, superior performance, stable and firm, good shockproof performance, waterproof fire anti-corrosion, light weight. Container activity room for the whole structure, inside the frame wall for rock wool sandwich panel, available wood panel finish, can be relocated as a whole, the service life of up to 20 years or more.

UNFOLDING PROCESS (展开过程)



折叠状态(Folded state)



半展开状态(Semi-expanded state)



展开状态(Development state)



Z TYPE FOLDING PACKING HOUSE (Z型折叠打包箱房)



PRODUCT LAYOUT DIAGRAM

国内尺寸(Domestic Size):
L6055*W2990*H2896MM

出口尺寸(Export size):
L5800*W2435*H2550MM

折叠尺寸(Folding size):
L6055*W2990*H560MM

折叠尺寸(Folding Size):
L5800*W2435*H560MM

FOLDING PUSH PULL APPLE CABIN (苹果舱)

推拉折叠苹果舱，一款独具匠心的创新型建筑，充满艺术感，它的外观圆润流畅的线条赋予其独特的美感。便捷的推拉折叠设计，巧妙的构造使得空间的利用变得灵活多变，开阔空间只需推拉折叠收纳，即可轻松实现提升空间的适应性和功能性，房屋采用新型的建筑结构、保温材料、防水材料，具备出色的耐用性和稳定性，减少维护成本，延长使用寿命，而且具有良好的保温隔热性能，可提供舒适的室内环境，同时，安装简便，运输方便，能够快速搭建和移动，可根据需求和喜好进行颜色与门窗个性化定制，满足不同场景使用需求。无论是作为度假小屋、创意工作室还是特色商铺，它都将成为您理想的选择。

Push-pull folding apple cabin, a unique and innovative architecture, full of art, its appearance of rounded and smooth lines give it a unique sense of beauty. Convenient push-pull folding design, clever construction makes the use of space becomes flexible, open space just push-pull folding storage, can easily be realized to enhance the adaptability and functionality of the space, the house adopts a new type of building structure, thermal insulation materials, waterproof materials, with excellent durability and stability, reduce maintenance costs, extend the service life, and good thermal insulation properties, can provide a comfortable At the same time, it is easy to install, easy to transport, can be quickly built and moved, can be personalized according to the needs and preferences of the color and doors and windows to meet the needs of different scenes. Whether as a vacation cabin, creative studio or specialty store, it will become your ideal choice.

UNFOLDING PROCESS (展开过程)



FOLDING PUSH PULL APPLE CABIN (苹果舱)



PRODUCT LAYOUT DIAGRAM

拓展尺寸(Expanded Dimensions):

L5700*W3730*H2925MM

运输尺寸(Transportation dimensions):

L5700*W2050*H2925MM

占地面积(footprint): 21m²

入住人数(Number of occupants):

1~2人 (1-2 persons)

用电功率(electric power consumption):

12KW

总净重量(Total net weight) :

Based on actual weigh-in weight

产品型号 (Product Model)			折叠推拉式苹果舱 (Push-pull folding apple cabin)			
配置说明(Configuration)						
部分(part)	名称(Name)	内容(Content)	部分(part)	名称(Name)	内容(Content)	
(peripheral system) 外围体系	主体骨架 (backbone)	热镀锌钢框架(国标) (Hot-dip galvanizedsteel frame) (national standard)	(internal system) 内部体系	墙面(wall)	9mm欧松板(B3级防水)+木饰面板墙面 (9mm Europine board (B3 waterproof)+ wood veneer wall covering)	
	外壳 (housings)	2.5mm厚铝合金外壳+聚氨脂发泡填充(隔热保温层) (2.5mm thick aluminum alloy shell + polyurethane foam filling) (thermal insulation layer)		吊顶(suspended ceiling)	9mm欧松板(B3级防水)+木饰面板墙面 (9mm Europine board (B3 waterproof)+ wood veneer wall covering)	
				地面 (ground level)	4.0mm厚环保石塑地板(SPC) (4.0mm thick environmentally friendly stone plastic flooring)(SPC)	
	地板(floors)	18mm竹胶板 (18mm bamboo glue board)		卫生间 (ground level)	9mm欧松板(B3级防水)+碳晶板墙面 (9mm Opal board(B3 waterproof)+ Carbon crystal board wall surface)	
					卫生间门:单开隐私玻璃门 (Bathroom door: single opening privacy glass door)	
	门(Doors)	断桥铝双层钢化玻璃门 (Broken Bridge Aluminum Double Layer Tempered Glass Door)			干区地面:环保石塑地板(SPC) 湿区地面:双层防滑大理石 (Dry floor: environmental protection stone plastic floor (SPC) Wet floor: double-layer non-slip marble)	
					品牌洗手柜、智能镜柜、品牌水龙头 (Branded hand-washing cabinet, intelligent mirror cabinet, branded water hose)	
窗(windows)	断桥铝双层钢化玻璃窗 (Broken bridge aluminum double-pane tempered glass window)	多功能毛巾架(可选配毛巾烘干机) (Multi-function towel rack (optional towel dryer))				
		品牌马桶、品牌花洒、防臭地漏 (Branded toilets, branded floral wines, anti-odor floor drains)				
外部装饰 (Exterior decoration)	24V外围围灯带 (24V Peripheral Light Strip)					





户型:一室一厅一卫 (Floor plan: one bedroom, one bathroom)		
可选配置(Optional Configurations)		
序号 (Serial)		内容(element)
1	(intelligent system) 智能系统	智能语音控制系统 (Intelligent Voice Control System)
		插卡取电/拔卡断电控制系统 (Card in/card out power control system)
		背景音乐系统 (background music system)
		酒店智能门禁系统 (Hotel Intelligent Access Control System)
		全屋智慧照明 (Whole House Intelligent Lighting)
2		室内智能电动遮光窗帘 (Indoor Intelligent Motorized Blackout Curtains)
3		高端1.5米双人床(可折叠) (High-end 1.5m double bed (foldable))
4		轻智能马桶(Light Smart Toilet)
5		即热式热水器(室内) (Instantaneous water heaters)(indoor)
6		品牌照明通风取暖一体浴霸(Brand Lighting Ventilation Heating All-in-One Bath Heater)
7		品牌1.5匹冷暖空调 (挂机, 一级能效) (Brand 1.5 HP Heating & Cooling Air Conditioner (Wall-mounted, Grade 1 Energy Efficiency))
8		激光投影设备系统 (Laser projection equipment systems)
9		智能新风系统 (Intelligent Fresh Air System)
10		厨房橱柜 (itchen cabinet)
11		可插拔式移动插座 (Pluggable Mobile Socket)



(circuit system) 电路系统	照明 (illumination)	全屋LED照明系统(可根据客户要求配置开关标准) (Whole-house LED lighting system (switching standards can be configured according to customer requirements))
	电路系统 (circuit system)	澳标认证电路系统(可根据客户要求配置插座标准)(ABS certified circuit system (socket standards can be configured according to customer requirements))
进排水 (Drainage)	隐藏式国标供水、排水管(可根据客户要求配置水管标准) (Concealed national standard water supply and drainage pipes (water pipe standards can be configured according to customer requirements))	
备注(Remarks)	一个40尺开顶柜可以装2套(A 40-foot open top cabinet can hold 2 sets of)	